Amendments to the Claims

Please amend Claims 8, 11, 14, 16, 20 and 22. Please add new Claims 27-30. The Claim Listing below will replace all prior versions of the claims in the application:

Claim Listing

- 1. (Original) A method of searching for data patterns in a dynamically changing data store, the data store holding a plurality of data records, the method comprising: creating a new data agent for each new data record that arrives at the data store, the new data agent being implemented as an executable program and having a decision engine operable to match the represented data record with other data records based on a data cluster valuation formula; wherein the new data agent negotiates with any existing agents in the system to form a cluster of data records representing said data patterns.
- 2. (Original) A method according to claim 1, wherein existing agents in the system include cluster agents representing a cluster of data records.
- 3. (Original) A method according to claim 2, wherein the new data agent negotiates by considering available clusters, selecting attractive clusters based on a cluster valuation formula, and sending an application for membership to the selected cluster.
- 4. (Original) A method according to claim 3, wherein cluster agents receive membership applications, evaluate the applying data agents using a data valuation formula and making a decision about whether to offer membership to the applying data agent based on a cluster value.
- 5. (Original) A method according to claim 3, wherein, if no suitable cluster is available, the new data agent negotiates with an existing data agent to form a new cluster.

- 6. (Original) A method according to claim 5, wherein a new cluster is formed only if it increases overall value of the system, said overall value of the system being derived from cluster values.
- 7. (Original) A method according to claim 4, wherein, after forming clusters, cluster agents are created to represent those clusters and these cluster agents negotiate to reform new clusters.
- 8. (Currently Amended) A method according to any preceding claim 1, wherein each new data record is associated with an energy level.
- 9. (Original) A method according to claim 8, wherein the energy level associated with a data record is reduced when that data record forms part of a cluster.
- 10. (Original) A method according to claim 8, wherein the energy level is reduced over time.
- 11. (Currently Amended) A method according to any preceding claim 1 which comprise the step of sensing the arrival of each new data record at the data store and triggering creation of a data agent for that new data record.
- 12. (Original) A computer system for searching for data patterns in a dynamically changing data store, the data store holding a plurality of data records, the computer system comprising: an agent creation means arranged to create an agent implemented as an executable program and which has a decision engine operable to match the represented data record with other data records based on a data valuation formula; and a sensor for sensing the arrival of a new data record at the data store and arranged to cause the agent creation means to create a new data agent; wherein the new data agent is capable of negotiating with any existing agents in the system to form a cluster of data records representing said data pattern.

- 13. (Original) A computer system according to claim 12, wherein the agent creation means is arranged to create a cluster agent implemented as an executable program, the cluster agent representing a plurality of data records.
- 14. (Currently Amended) A computer system according to claim 12 or 13, which comprises a memory storing ontology accessible by agents, the ontology including clustering criteria for use in the negotiating step.
- 15. (Original) A computer system according to claim 14, wherein the ontology includes a data valuation formula usable by a cluster agent to determine whether or not to offer membership to the cluster to a new data agent.
- 16. (Currently Amended) A computer system according to claim 14 or 15, wherein the ontology includes a cluster valuation formula usable by a data agent to determine whether or not to apply for membership to a cluster agent.
- 17. (Original) A computer system according to claim 14, wherein the ontology holds energy levels associated with data records.
- 18. (Original) A data agent for organising data records, the data agent representing a data record and comprising: an agent descriptor implemented as an executable program and comprising a set of record parameters defining the type of data record it represents; and an agent body implemented as an executable program and comprising a negotiating interface for communicating with other agents representing data records; and a decision engine operable to determine when a record is a match for the type of data record represented by the agent based on a cluster valuation formula and to form a cluster of the represented data record and the matching data record.
- 19. (Original) A cluster agent for organising data records in a system, the cluster agent representing a cluster of data records and comprising: an agent descriptor implemented as an executable program and comprising a set of record parameters defining the type of data records in the cluster it represents, with a cluster value

representing the strength of the cluster; an agent body implemented as an executable program and comprising a negotiating interface for communicating with other agents representing cluster records; and a decision engine operable to negotiate with that agent and any other agents representing data records to determine if those data records should join the represented cluster according to a data valuation formula.

- 20. (Currently Amended) An agent according to claim 18 or 19, wherein the agent body comprises a sensor.
- 21. (Original) An agent according to claim 20, wherein the sensor comprises at least one of means for reading accessible data fields and amailbox mechanism for receiving messages.
- 22. (Currently Amended) An agent according to claim 18 or 19, wherein the agent body comprises an actuator.
- 23. (Original) An agent according to claim 22, wherein the actuator comprises at least one of means for accessing a database to update data fields therein, and means for dispatching a message.
- 24. (Original) A method of operating a computer system to organise data records, the method comprising: sensing the arrival of a new data record at a data store adapted to hold a plurality of data records; instantiating a data agent as an executable program, the data agent representing the new data record;

implementing a clustering process by causing said data agent to negotiate with existing agents, said existing agents including data agents for existing data records and cluster agents, wherein cluster agents represent a plurality of data records.

25. (Original) A computer system configured as a multi-agent system to organise data records in a data store, the computer system comprising: a first set of data agents implemented as executable programs, each data agent comprising a set of record parameters defining the type of data record it represents; a second set of cluster agents

implemented as executable programs, each cluster agent comprising a set of record parameters defining the type of data records in the cluster it represents; wherein the data agents and cluster agents are operable to negotiate by exchanging messages, messages from a data agent containing an application for membership of a cluster, and messages from a cluster agent including rejection or acceptance of the application, and wherein when a new data record arrives in the data store, a new data agent is created to represent the new data record and is able to disturb established clusters in such a way as to improve a system value representing the quality of clustering.

- 26. (Original) A computer program product comprising program code means which, when loaded into a computer, cause the computer to implement steps of the method according to claim 24.
- 27. (New) An agent according to claim 18, wherein the agent body comprises a sensor.
- 28. (New) An agent according to claim 27, wherein the sensor comprises at least one of means for reading accessible data fields and amailbox mechanism for receiving messages.
- 29. (New) An agent according to claim 18, wherein the agent body comprises an actuator.
- 30. (New) An agent according to claim 29, wherein the actuator comprises at least one of means for accessing a database to update data fields therein, and means for dispatching a message.